



MDAIR Reporting Form for General Public, Programs, and Providers

Definitions

Death: A death is considered any loss of life in which you suspect a Medication for Opioid-Use Disorder (MOUD) was involved.

Incident: An Incident could be a serious injury, near death, an overdose that did not result in death, or risk of death or injury. An example of an incident could be an injury that resulted in an emergency room visit, and you suspect the reason for the injury could pertain to their use of one of the three medications (buprenorphine, methadone, or naltrexone).

Medication for Opioid-Use Disorder (MOUD): Medications approved by the United States Food and Drug Administration (FDA) for the treatment of Opioid Use Disorder. MOUD includes any of the medications listed below.

Helpful Information About Medications Prescribed for the Treatment of Opioid Use Disorder (MOUD)			
	Methadone	Buprenorphine	Naltrexone
Trade Names	Methadose	Suboxone (Buprenorphine + Naloxone) Subutex (Buprenorphine only) Sublocade (long-acting Buprenorphine)	Revia, Vivitrol
Form of Medication	Methadone prescribed for pain usually is prescribed in tablet form. Methadone dispensed via a Narcotic Treatment Program for the treatment of Opioid Use Disorder comes in liquid form.	Suboxone = Buprenorphine + Naloxone in the form of a sublingual film or tablet Subutex = tablet Sublocade = long-acting subcutaneous injection of Buprenorphine.	Vivitrol (once a month injection) and Revia (tablet)

<p>How Medication is Obtained/Administered</p>	<p>Methadone prescribed for Opioid Use Disorder can only be obtained/dispensed through a Narcotic Treatment Program. Methadone prescribed for pain can be prescribed by a variety of medical providers and settings and is obtained via a prescription/filled through a pharmacy.</p>	<p>Buprenorphine products can be prescribed/administered at Narcotic Treatment Programs, at Primary Care Providers, Office Based Opioid Treatment Providers, Hospitals, and a variety of other settings. Suboxone/Subutex is obtained via a prescription/filled through a pharmacy. In some cases Suboxone/Subutex is administered daily at a Narcotic Treatment Program. Sublocade is obtained via a prescription/filled through a pharmacy, and the injection is usually administered by the provider or provider staff prescribing the medication.</p>	<p>Naltrexone products can be prescribed/administered at Narcotic Treatment Programs, at Primary Care Providers, Office Based Opioid Treatment Providers, Hospitals, and a variety of other settings. Naltrexone products are obtained via a prescription/filled through a pharmacy. The Vivitrol injection is usually administered by the provider or provider staff prescribing the medication.</p>
--	---	---	---

Question Guide

Question 1-3: The primary reason for submitting this form is to report an incident or death that involved at least one of three Medications for Opioid Use Disorder (MOUD). If you are attempting to submit this form and one of the three medications listed above are not involved in the incident or death, then you do not need to submit this form. If you have any questions or wish to discuss other reporting options, you can e- mail our Quality Improvement Team at: ra-daod@pa.gov or call: 717-783-8200.



Questions 4-10 pertain to specific information about the person who experienced an incident or death. If we have this information, it may assist us in conducting further investigation as to the cause of this incident or death. However, if you do not wish to answer any or all these questions, you can leave them blank.

Questions 11-12: Pertain to how the medication was obtained, or the source. Below are some examples of Programs and Providers.

Program examples: Primary Care Clinics, Family Practices, Specialty Medical Clinics, Community Health Centers, Federally Qualified Health Centers, Centers of Excellence, Substance Use Disorder Treatment Providers including Narcotic/Opioid Treatment Programs* (where certain medications for opioid-use disorder, typically liquid methadone, are dispensed), Opioid-Assisted Treatment Program. *Licensed SUD Providers are not required to submit this form; however, they can do so if they choose.

Provider examples: Any Medical Doctor (MD), Nurse Practitioner (NP) or Physician Assistant (PA) who is prescribing MOUD (typically, this would be either Suboxone, or Naltrexone).

Question 13: Any additional information you can provide that could be helpful. For instance, were there recent hospitalizations, incarcerations, or overdoses?

Question 14: You can remain anonymous. However, if you provide your consent, and we have additional questions, we may contact you (not required).

Question 15. If you are comfortable doing so, please provide your name.

Question 16. If we can contact you, please provide your contact information, either a phone number, e-mail, or both, where we can contact you if we have additional questions.